

# Thomas Greenough's

## FOUR-VANED THEODOLITE

*This is the second in a series of articles that highlight and compare unusual and seldom-seen survey instruments.*

The first article of this series on unusual 18th century surveying instruments discussed at length the patented “Theodolite” (1735) made by Rowland Houghton, who worked in the Boston area. It was designed to serve a dual functionality as a theodolite and circumferentor. Houghton’s patent would have expired seven years later or by 1742. Recently, an instrument by Thomas Greenough (who worked in Boston from 1730-1785) has surfaced, possibly having the same dual purpose unique to the Houghton. When this instrument was found, its sight vanes were missing. Instead of two vanes as on the patented Houghton, this Greenough instrument was designed for four sight vanes—two fixed and two moveable.

*continued >*

>> By Jeffrey Lock





© Jeffrey Lock 2004



The two fixed sight vanes were easy to reconstruct using an established Greenough pattern, and were attached to the existing sliding male dovetails riveted to tabs on the horizontal circle. Initially confusing, however, was how the second set of sight vanes attached to the moving alidade since they were not of a simple, slide-on, dovetail construction. In their places were intricate openings filed out at the extremities of the moveable alidade. I then discovered the remains of a small wooden dowel inserted into a drilled hole at the attachment point of the second set of sight vanes. This suggested that these were folding sight vanes and were attached to a hinged block assembly that would be removable from the alidade. This hinged block assembly is what would enable the folding sight vane to accurately clear the glass and glass ring of the compass box assembly, aligning its slot with the needle in the compass box, thereby doubling the instrument's use as a theodolite and circumferentor, similar to the Rowland Houghton instrument. The block assembly also gives the required clearance when the

moveable alidade would have been swung in a full 360-degree circle (Figure 2).

If one compares the horizontal circle of both instruments side by side, the similarities are obvious and the possibility exists that they were divided and engraved by the same craftsman (Figure 3). You will notice certain characteristics—such as the double zero (“00”) mark—that are com-

mon to both scales. This method of marking the double zero was somewhat unusual. The rotation of this moveable alidade allows for an accurate watch reading to be taken by placing the fixed sights located at 0 and 180 on the horizontal scale as backs sights, then rotating the second set of sights to the object as the foresight and reading the angle between the two sets of sights directly off the horizontal scale. By

*The Greenough instrument diverged from Houghton's design by the use of a second set of sight vanes that attached to a moveable horizontal alidade rotating under the fixed compass box.*

mon to both scales. This method of marking the double zero was somewhat unusual.

The Greenough instrument diverged from Houghton's design by the use of a second set of sight vanes that attached to a moveable horizontal alidade

folding the sight vane and aligning its slot with the needle in the compass box, the Greenough instrument performs in the same manner of a circumferentor as the Houghton, but uses the folding vanes to

**Figure 1:** Detail of inscription: “Made by Thomas Greenough, Boston, N. England”







of almost identical construction as the Rowland Houghton theodolite, inferring that once Thomas Greenough was free to copy the much simpler Rowland Houghton design, he took that advantage. *A*

*Editor's Note: Articles in this series are part of Lock's forthcoming book, The Art of Colonial Surveying Instruments.*

Drawing on 30 years' experience in the restoration field, Jeffrey Lock has focused on colonial instruments from the 18th century and the techniques that were used for their construction. His continuing research has uncovered unusual instruments that will be discussed in this series. All images ©Jeffrey Lock

**Figure 4** Restored folding sight vane assembly. (As in the case of responsible restoration, all of the replaced pieces on this instrument have been signed and dated so as not to provide any confusing historical data to future research. Under no circumstances should restoration affect the originality of existing pieces of an instrument.)  
**Figure 5** (below) Detailed engraving on a Greenough circumferentor



**Figure 6** (Left) Rowland Houghton's "Theodolite"; (Right) Thomas Greenough instrument